## PERKO®



## Heavy Duty Battery Selector and Disconnect Switches

## Heavy Duty Main Battery Selector Switch, Ignition Protected

For use with alternators and generators 6-32 V.D.C. Marine Electrical Systems Protected by the following U.S. Patents; Design 260,637 - 4,280,028 - 4,424,424



Material: Finish: Dimensions:	Polycarbonate Body with Brass Terminals Red and Black Width: 5-1/2", Height 5-1/2", Depth: 3-5/8"
Rated: Screw Size: Terminal Stud Size:	380 Amps Continuous, 850 Amps 5 Min. Intermittent #10 1/2″
Features:	Selector Switch with Alternator Field Disconnect



**Features** Selector Switch **Retail Pkg.** 8603DP Alternator Field Disconnect Yes

Fig. 8603



CE

## Heavy Duty Main Battery Disconnect Switch, Ignition Protected

For use with alternators and generators 6-32 V.D.C. Marine Electrical Systems Protected by the following U.S. Patents; Design 260,637 - 4,280,028 - 4,424,424

Material:	Polycarbonate Body with Brass Terminals
Finish:	Red and Black
Dimensions:	Width: 5-1/2", Height 5-1/2", Depth: 3-5/8"
Rated:	450 Amps Continuous, 1200 Amps 5 Min. Intermittent
Screw Size:	#10
Terminal Stud Size:	1/2"
Features:	Disconnect (On/Off) Switch with Alternator Field Disconnect



Features Disconnect Switch **Retail Pkg.** 9703DP Alternator Field Disconnect Yes

Fig. 9703

